



2026 Monroe County Fair Demolition Derby Rules
Tuesday, August 4, 2026

Semi-Stock Class Rules

General

1. 1980 and newer original auto manufacturer-built passenger cars only! No Trucks, Convertibles, Jeeps, Vans, Travelalls, Suburban, Hearse or Utility Vehicles allowed. Cars will not be allowed if damage is determined to be a safety issue.
2. STOCK MEANS STOCK! These cars are to be considered STOCK unless specifically mentioned in these rules. No altering, swapping, welding, or manipulating parts unless specifically mentioned. Patching and rust repair WILL be allowed ONLY as stated below.
3. No tow trucks/support vehicles allowed in pits during event. Tow vehicles will be allowed to enter to remove cars after event. All cars must be removed within 2 hours after event. Any cars left after 2 hours will be scrapped.
4. Tools will be allowed in pit area to work on cars. No unapproved cutting, welding or modifications will be allowed after inspection. Cutting torches in pit area may only be used with the presence and permission of race officials.
5. All cars must be equipped with approved seat belts. Helmets must be approved. Full face helmet is recommended. Drivers must wear long sleeve shirt, long pants and full coverage approved shoes. Fire suit and gloves are recommended.
6. Reasonable clearance allowed for shifter, steering column, wires/fuel line. Firewall must be structurally sound to inspector's discretion. Holes over 4" in firewall/floor board must be sealed. No loose objects allowed in car during event.
7. Braces may be added and securely fastened behind drivers seat from door post to door post and/or A-Post to A-Post, to protect foot area.
8. Feature cars are to be cars that have run in the heat (EIRI).

Body and Frame

1. Body mounts and rubbers may be removed and replaced with a maximum 1/2" bolt and a maximum 3" washer. Neither washer nor bolt may be welded in any way. No adding or moving body mounts allowed!
2. **Repairing**
 - a) REPAIRS ONLY IF CAR IS BENT OR RUSTED. If officials believe the patches to be excessive, cutting will NOT be an option.
 - b) Frame patching - You may patch bent frames on previously run cars ONLY. Maximum 4 patches per car. Each patch may be no larger than 4" x 4" x 1/4" thick with a minimum 2" between each plate.
 - c) Rusted frames may be patched with maximum 1/8" thick material and may overlap non rusted frame by 1" only. You may not re-weld any frame seams.
 - d) You may patch doors on previously run cars only with the same thickness sheet metal. NO over lapping door seam.
 - e) Floors and trunks may be patched if rusted out.
3. Do not paint or undercoat frames inside or out.
4. Core support may have up to a 6" spacer between bottom of core support and frame. Up to 3/4" threaded rod may be used from the top of the core support to the mount to hold in place. NO WELDING AT ALL.
5. Trunks may be creased. Quarter panels must remain upright. Body panels may be creased. Frame may be creased or cut to have a controlled bend in the rear of the car....no other frame modifications allowed. Two (one each side) six-inch holes must be cut in trunk and hood. No Frame Shaping Allowed.

Stripping

1. All flammable materials must be removed. No broken windows, doors, no sharp objects.
2. The car must be clean and free of loose debris in the drivers compartment and the trunk.
3. All airbags must be removed. Drain air conditioners. Rubber hoses must be cut or removed prior to arrival at the track. All trailer/towing hitches must be removed.

Glass/Windshield

Rear windows, side windows, headlights, taillights, all mirrors must be removed. Optional front Windshield must be intact and secure if used. Lexan may be used to replace stock windshields. Cracked windshield may be taped with clear tape and braced to support cracked area. Replacement windshields must be supported inside and minimum of five tabs on the outside securely

fastened. Three tabs on the top of windshield and two lower tabs minimum. If no windshield, minimum two braces, structurally sound, roof to center of cowl, centered, securely fastened and driver MUST have full face helmet, gloves, eye protection and full coverage, long sleeve, heavy material coverage (will be checked as cars enters track).

Driver Protection

Driver's door must be reinforced. Reinforced area must extend from location of driver's knee rearward past driver seat. Concrete if used, must be within 4" of top of door, no loose stone, must be dry and hardened. Maximum door reinforcements must not exceed 12" wide or extend past driver's door more than 8". Ends of reinforcement must not be sharp or squared off. Front and rear passenger doors may not be reinforced. Driver's door must be padded from interior to cover top of window opening.

Gas Tanks/Battery:

1. Maximum capacity 6 gallons. Stock tanks must be removed. All gas tanks must be covered with metal fire wall. No fire blankets allowed. Gas line must be steel, except for connections. Lines must be securely fastened. Electric fuel pumps allowed if stock. Fuel cells recommended. Cars with electric fuel pumps must have MASTER SHUT OFF SWITCH, marked with RED ARROW. Any fuel line that runs inside drivers' compartment must be enclosed in metal tubing and painted red.
2. Battery must be relocated in drivers compartment and must be covered/enclosed/securely fastened to inspectors discretion. Any stock type battery is allowed, one per car.

Painting, Numbering, Car Appearance:

All cars should be presentable. No offensive language, symbols or images allowed (swastikas, Confederate Flags, profanity, etc). Numbers must be on both doors and roof. Minimum number size is 16" high, 2" wide. Car number painted on driver's door must be contrasting color to rest of car paint.

Tires/Wheels:

Passenger vehicle tires only, aggressive tread allowed. Valve stem protectors and welded wheel centers are ok. No Bead locks. No SKID STEER TIRES.

Suspension:

1. All front suspension and cradles must remain stock to that year/make/model of frame. No reinforcing or swapping. allowed.
2. The only rear suspension modifications allowed will be that of the 1998 and newer Ford (see above) all other must remain stock to that year/make/model of frame.
3. Steering columns and gear boxes may be replaced but may not strengthen the car in any way. No solid straight shafts.
4. Car must set level to the ground.

Cages and Driver Protection:

A four (4) point cage will be allowed but not mandatory. 3x3 1/4" bar maximum will be allowed. Bars are not to extend beyond 12" past front door seams. No bars may extend up/down/forward/back of these bars except for a single roll over bar. This bar must go straight up and down, may not lean forward or back. Can only be attached to the back seat bar or the side bars of the cage. Cannot be welded to body. Two bolts are allowed to attach to roof. This is meant to be for safety only! If officials deem this bar has been used to strengthen the car you will be asked to change it. Any questions, call ahead. No gas tank protectors.

Drivetrain:

1. Any engine/transmission/rear end is allowed. Swapping manufactures is ok.
2. Distributor protector will be allowed. It may only be mounted to the heads and intake. It may not be mounted to the block, transmission, or anything else. If it is deemed excessive, you will not be given the option to unbolt. NO other protectors or cradles will be allowed.
3. OEM upper and lower motor mounts only. NO cradles or aftermarket mounting. No transmission braces.
4. OEM automobile drive shafts or slider shafts allowed. Drive shaft may not be used to strengthen car.
5. Any auto rear end (maximum 5 lug). No braces. No aftermarket axles. No leaf spring conversions.
6. Rear end may have brackets relocated to fit the car as long as it is done in a way not to strengthen the car or rear end.
7. Radiator must be in stock location or removed. Radiator must be securely fastened in a way that does not strengthen the car. No welding allowed.
8. Transmission coolers are not allowed.
9. All Cars must have stock type air cleaner, no open element air cleaners allowed. No additional holes in air cleaner housing


Welding

1. Welding may be done to the body and frame as described below ONLY
2. OEM bumpers only. Bumpers may be welded for durability (seams, added plate, not solid, etc.). No sharp edges on bumpers.
3. Bumpers may have shock tubes or replacement shock tubes (no longer than 9") and must mount in the factory location.
4. Shock tubes can be welded to ensure the bumpers stay on the car. Hard nosing (welding bumper direct to the frame) is

allowed.

5. Steel may be added to be able to weld in transmission cross member. Maximum 6" long may be used and may not be used to strengthen the car in any way. No Additional supports allowed.
6. Hood must be securely fastened by chain/wire/bolt in a maximum of 6 places. Sheet metal to sheet metal only. No welding on hood or mounting locations.
7. Doors may be welded OR wired OR chained but not a combination of each. Only 6" of continuous single weld may be used per each outside door seam. Driver's door may be welded solid.
8. Trunks or tailgates may be welded OR wired OR chained. Only 6" of continuous single weld per each seam.
9. No rear window bars allowed.
10. 1998 and newer Fords/Lincoln/Mercury may have a rear end brackets installed to mount rear end. Welded or bolted allowed, but may not be welded in a way to strengthen the car, only to mount the rear end. No solid suspension.
11. Lower motor mounts may be welded in as long as it does not strengthen the car.
12. Cage, frame (rust and bend repair), and body repair (see above)
13. NO other welding allowed to the body, frame, or suspension. If you do, you will not have the option of cutting.

Current 4-9-2026



2026 Monroe County Fair Demolition Derby

Entry Blank Tuesday, August 4, 2026

One Show Only 7pm

CAR ENTRY AND PIT ENTRY INFORMATION

PIT PASSES: Driver pit passes are no charge (with paid entry fee), pit passes for crew members and others associated with the race team are \$25. All pit passes do include admission to the Fair. **The pit area is an insurance restricted non-spectator area**, anyone entering the pit area must be affiliated with a Derby car, under age 18 must have fully executed minor release with parental signature, and no pit passes will be sold to small children (no strollers, no toddlers, no babe-in-arms).

1. CAR ENTRY FEE: \$25 if received by Friday, July 31 by mail or at Fairgrounds office. Late entries of \$50 will be accepted after deadline at pit gate until start of Derby. Must register for heat race at time of pit pass sign-in on Derby Day. NO REFUNDS for any reason (fail inspection, mechanical failure, unable to start at time of race, etc). Car & driver must run in assigned heat race as registered unless permission secured at Scoring Stand. **All cars must be registered/inspected by 7pm.**
2. TO ENTER: Mail to FlatRock Speedway, Attn: Shalene Williams, 7980 Lewis Ave., Temperance, MI 48182, or turn in at Monroe County Fair office.

SCHEDULE, Tuesday, August 4, 2026 (Subject to Change Based on Car Count per class)

3:00 p.m.	Car inspection begins for all cars, pit pass registration, heat race registration opens
6:30 p.m.	Driver's meeting for ALL Drivers
7:00 p.m.	Start of Show – Stock Class Heats
8:00 p.m.	Kids Power Wheels, pit pass registration closes
8:30 p.m.	Semi-Stock Last Chance Race
9:00 p.m.	Street OEM Stock
9:30 p.m.	Semi Stock Feature Race

DERBY RACE RULES

To be covered in detail at Driver's Meetings: Driver's door/head-on hits not allowed and may result in disqualification; Cars must hit/make contact with other running cars every 30 seconds or may be disqualified; Driver safety equipment will be rechecked as car enters track for race; Drivers qualified for feature may not run another heat in that class; Feature cars must have run in heat race. Heat races will have a time limit, if more than 3 cars remain when time expires no cars from that heat will transfer to the feature and they will move into the Last Chance race.

GENERAL

No alcoholic beverages or controlled substances allowed in pit, staging, track or grandstand area. All participants agree that decisions of the race officials (inspection, race procedure, scoring etc.) are final, and there shall be no protests. In keeping with the family theme of the Monroe County Fair, anything considered detrimental or negatively impacting the Fair will subject participants to disqualification/removal from grounds.

FURTHER RULES/PROCEDURES GENERAL INFORMATION

Street OEM Stock Rules: Bobby Thomsen at (734) 206-4177, 9 a.m.-5 p.m. Monday-Friday or email rthomsen@arcaracing.com
Semi Stock Rules: Jason Barabe (734) 799-2474 or Matt Rimel (734) 915-5572
General Info: Shalene Williams at (734) 206-4172, 9 a.m.-5 p.m. Monday-Friday or email swilliams@marcumracing.com

MONROE COUNTY FAIR PARADE

A limited number of entrants will be permitted to display in the Monroe County Fair Kickoff Parade Sunday, August 2. If interested in having a car in the Parade, email photo of car to swilliams@marcumracing.com (must be registered for Derby). Limited, first come first served.

<u>Prize Money Semi-Stock Class</u>		<u>Street OEM (1 show <31 cars)</u>	<u>Street OEM (2 shows >30 cars)</u>
Heat Races: 1 st Place \$75	2 nd Place \$50	1 st Place \$750	1 st Place \$450
Best Appearing Car \$75		2 nd Place \$500	2 nd Place \$250
Feature 1 st Place \$2,500	Feature 2 nd Place \$1,000	3 rd Place \$100	3 rd Place \$100
Feature 3 rd Place \$500	\$100 All Others Starting Feature \$100		

Drivers winning over \$600 must complete a W-9 prior to payoff

Entry Form

Entry Fee \$25 per car. \$50 late entry fee per car (after Friday July 31)
Semi-Stock and Street OEM Stock Class

Date: _____ Class (Circle): Semi-Stock or Street OEM Stock

Driver Name: _____ Phone: _____

Email: _____

Address: _____

City: _____ State: _____ Zip: _____

I am enclosing \$ _____ for _____ entry fee(s)

Make checks payable to Flat Rock Speedway

Signature _____

Thanks to **RS Recycling** for being the 2026 Demolition Derby Sponsor

